



New Type 1530 CNC Stainless Sheet Metal Fiber Laser Cutting Machine Price

Our Product Introduction

Basic Information

- Place of Origin: 00
- Brand Name: 2
- Certification: 3
- Minimum Order Quantity: 100
- Packaging Details: 付款方式
- Delivery Time: 供 能力
- Payment Terms: 期限
- Supply Ability: 常 包装



Product Specification

- Laser Type: Fiber Laser
- Cutting Speed: 18m/min
- Cutting Thickness: 0.5-40 Mm
- CNC Or Not: Yes
- Weight (KG): 5000 KG
- Cutting Area: 1500mm*3000mm
- Metal: Type Iron
- Metal: Type Iron
- Thickness: 203*193*15cm
- Thickness: 203*193*15cm
- Box Type: Self Erecting Boxes
- Radiation Power: 840~1300MW
- Metal Type: Iron
- Universal Type: Fit For 80% Model Cars' Injectors
- Indian Hair: Yes



for more products please visit us on ladyshairextensions.com

Product Description

New Type 1530 CNC Stainless Sheet Metal Fiber Laser Cutting Machine Price

Advantages:

1. Heavy duty High strength steel welding structure;Beam cast aluminum
2. Heat treating for 3-4 days,and eliminate stress by vibration,to ensure the machine out of shape change after long time use
3. Segmental dust extraction system-new tech to ensure the best effect
4. True branded components,also can do sample cuttning for you
5. Engineer will do installation and test+training in your factory, you only need pay the visa+ticket+accommodation+training fee(usually 150 USD/days ,totally 7 days ,but we can give 3 days training fees for free)

Product details:

Model	FST-I 3015 Fiber Laser Cutting Machine
Working Size	1500*3000mm
Laser Power	1/1.5/2/3/4/6/8/12KW
Laser Wavelength	1080nm
Laser Beam quality	<0.373mrad
Working Life of Fiber Source	More than 10,0000 hours
Position Type	Red Dot Pointer
Cutting Thickness	0.5-10mm Within The range
Max. Idle Running Speed	80-110M/min
Max acceleration	1G
Reorientation Accuracy	Within ± 0.01 mm
Lubrication System	Electrical Motored
Cooling mode	Water cooling and protection system
Machine power	9.3KW / 13KW /18.2KW /22.9KW
Auxiliary Gas for Cutting	Oxygen, Nitrogen, Compressed Air
Compatible Software	AutoCAD, CorelDraw, etc.
Handle Control	Wireless Control Handle
Graphic Format	DXF/PLT/AI/LXD/GBX/NC code
Power Supply Voltage	220V 1Ph or 380V 3Ph, 50/60Hz
Warranty	2 Years

Standard Components :

Laser generator Max,Raycus and IPG

Laser cutting torch Switzerland Raytools/Germany precitedc

Steel plate welding Cutting bed,X, Y gear rack Germany ROR or Taiwan YYC

Guide rail Taiwan HIWIN

AC servo motor & driver Japan Fuji//Panasonic /Yaskawa

Proportional valve Japan SMC

Reducer Japan SHIMPO

Gas circuit control Japan SMC

CNC system and software CYPCUT

Voltage regulator

Ceramic ring, Nozzles and Lens (3 years use)

Screw air compressor

Vacuum cleaner device



Ellawig companys



+86-15399918960



service@ellawigss.com



ladyshairextensions.com

Room 501, unit 6, building 20, North Lane, east flower market, Beijing